

COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

9960 Mayland Drive, Suite 400, Richmond, VA 23233

Telephone: (804) 367-8500

EXPIRES ON
07-31-2025

NUMBER
3334000013

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LAB BRANCH OFFICE



EMSL ANALYTICAL INC
2500 GATEWAY CENTRE BOULEVARD
SUITE 600
MORRISVILLE, NC 27560



A handwritten signature in black ink, appearing to read "Brian Wolford".

Brian Wolford, Interim Director

Status can be verified at <http://www.dpor.virginia.gov>

(SEE REVERSE SIDE FOR PRIVILEGES AND INSTRUCTIONS)

DPOR-LIC (02/2017)

(DETACH HERE)



COMMONWEALTH of VIRGINIA

Department of Professional and Occupational Regulation

BOARD FOR ASBESTOS, LEAD, AND HOME INSPECTORS
ASBESTOS ANALYTICAL LAB BRANCH OFFICE
NUMBER: 3334000013 EXPIRES: 07-31-2025

EMSL ANALYTICAL INC
2500 GATEWAY CENTRE BOULEVARD
SUITE 600
MORRISVILLE, NC 27560



(FOLD)

Status can be verified at <http://www.dpor.virginia.gov>

DPOR-PC (02/2017)